

# Microbial solutions must be deployed against climate catastrophe

Raquel Peixoto,<sup>1,2,3</sup> Christian R. Voolstra,<sup>2,4</sup> Lisa Y. Stein,<sup>1,5</sup> Philip Hugenholz,<sup>1,6</sup> Joana Falcao Salles,<sup>1,7</sup> Shady A. Amin,<sup>1,8</sup> Max Häggblom,<sup>9,10</sup> Ann Gregory,<sup>1,11</sup> Thulani P. Makhalanyane,<sup>1,12</sup> Fengping Wang,<sup>1,13</sup> Nadège Adoukè Agbodjato,<sup>1,14</sup> Yinzha Wang,<sup>1,13</sup> Nianzhi Jiao,<sup>15,16</sup> Jay T. Lennon,<sup>17,18,19</sup> Antonio Ventosa,<sup>9,20</sup> Patrik M. Bavoil,<sup>9,21</sup> Virginia Miller,<sup>17,18,22</sup> Jack A. Gilbert<sup>17,23,24</sup>

**AUTHOR AFFILIATIONS** See affiliation list on p. 3.

This paper is a call to action. By publishing concurrently across journals like an emergency bulletin, we are not merely making a plea for awareness about climate change. Instead, we are demanding immediate, tangible steps that harness the power of microbiology and the expertise of researchers and policymakers to safeguard the planet for future generations.

The climate crisis is escalating. A multitude of microbe-based solutions have been proposed (Table 1), and these technologies hold great promise and could be deployed along with other climate mitigation strategies. However, these solutions have not been deployed effectively at scale. To reverse this inaction, collaborators across different sectors are needed—from industry, funders, and policymakers—to coordinate their widespread deployment with the goal of avoiding climate catastrophe. This collective call from joint scientific societies, institutions, editors, and publishers, requests that the global community and governments take immediate and decisive emergency action, while also proposing a clear and effective framework for deploying these solutions at scale.

## Microbes and the climate crisis

Microorganisms have a pivotal but often overlooked role in the climate system (1–3)—they drive the biogeochemical cycles of our planet, are responsible for the emission, capture, and transformation of greenhouse gases, and control the fate of carbon in terrestrial and aquatic ecosystems. From humans to corals, most organisms rely on a microbiome that assists with nutrient acquisition, defense against pathogens, and other functions. Climate change can shift this host–microbiome relationship from beneficial to harmful (5). For example, ongoing global coral bleaching events, where symbiotic host–microbiome relationships are replaced by dysbiotic (that is, pathogenic) interactions (Fig. 1), and the consequent mass mortality mean the extinction of these “rainforests of the sea” may be witnessed in this lifetime (6). Specifically, a decline of 70–90% in coral reefs is expected with a global temperature rise of 1.5°C (7). Although this example highlights how the microbiome is inextricably linked to climate problems, there is a wealth of evidence that microbes and the microbiome have untapped potential as viable climate solutions (Table 1). However, despite the promise of these approaches, they have yet to be embraced or deployed at scale in a safe and coordinated way that integrates the necessary but also feasible risk assessment and ethical considerations (8).

## Mobilizing microbiome solutions to climate change

The multifaceted impacts of climate change on the environment, health, and global economy demand a similar, if not more urgent and broad, mobilization of technologies as observed in response to the COVID-19 pandemic (9, 10). To facilitate the use of microbiome-based approaches and drawing from lessons learned during the COVID-19

Address correspondence to Raquel Peixoto, raquel.peixoto@kaust.edu.sa, or Jack A. Gilbert, gilbertjack@gmail.com.

J.A.G. is a Scientific Advisory Board Member for Oath Inc. The other authors declare no competing interests.

*The views expressed in this article do not necessarily reflect the views of the journal or of ASM.*

This article is co-published in the journals *Sustainable Microbiology* (<https://doi.org/10.1093/sumbio/qvae029>), *The ISME Journal* (<https://doi.org/10.1093/ismejo/wrae219>), *mSystems* (<https://doi.org/10.1128/mSystems.01416-24>), *FEMS Microbiology Ecology* (<https://doi.org/10.1093/femsec/fiae144>), *Nature Reviews Microbiology* (<https://doi.org/10.1038/s41579-024-01123-0>), *Nature Microbiology* (<https://doi.org/10.1038/s41564-024-01861-0>), *Nature Reviews Earth and Environment* (<https://doi.org/10.1038/s43017-024-00611-4>), *Nature Communications* (<https://doi.org/10.1038/s41467-024-53680-w>), *Communications Biology* (<https://doi.org/10.1038/s42003-024-07108-2>), *Communications Earth and Environment* (<https://doi.org/10.1038/s43247-024-01817-6>), *npj Biodiversity* (<https://doi.org/10.1038/s44185-024-00066-2>), *npj Biofilms and Microbiomes* (<https://doi.org/10.1038/s41522-024-00591-9>), *npj Climate Action* (<https://doi.org/10.1038/s44168-024-00179-1>), and *npj Sustainable Agriculture* (<https://doi.org/10.1038/s44264-024-00033-1>). The articles are identical except for minor stylistic and spelling differences in keeping with each journal's style. Any citation can be used when citing this article.

**Published** 11 November 2024


This article has been co-published with permission in *Sustainable Microbiology*, *The ISME Journal*, *mSystems*, *FEMS Microbiology Ecology*, *Nature Microbiology*, *Nature Reviews Microbiology*, *Nature Reviews Earth and Environment*, *Nature Communications Earth and Environment*, *npj Biodiversity*, *npj Biofilms and Microbiomes*, *npj Climate Action*, *npj Ocean Sustainability*, and *npj Sustainable Agriculture*. All rights reserved. ©The Authors, 2024.

**TABLE 1** Examples of microbial strategies that can be developed and/or deployed at scale to tackle climate change (1–4)

Strategy	Mechanism of action	Benefits	Application
Carbon sequestration	Microbial enhancement of carbon sequestration in soils and oceans	Reduces atmospheric CO <sub>2</sub> and enhances soil productivity	Agricultural and forestry sustainability and marine biosequestration
Methane oxidation	Use of methanotrophic bacteria to oxidize methane into less harmful compounds	Lowers methane emissions and can promote atmospheric removal; mitigates a potent greenhouse gas	Landfills; livestock management; inland freshwater bodies; wetlands
Bioenergy production	Cultivation of algae and other microbes for biofuel production	Provides renewable energy; reduces reliance on fossil fuels	Biofuel production; industrial applications
Bioremediation	Microbial breakdown of pollutants and hazardous substances	Improves environmental health; reduces toxin exposure	Industrial waste management; contaminated land and sediment restoration
Microbial therapies	Targeted microbiome management using microbial therapies (for example, probiotics, postbiotics, prebiotics); can mitigate harmful microbiomes and consequent environmental degradation; restoring beneficial microbiomes across hosts and ecosystems	Improves organismal and environmental health and can be applied to sustainable practices, which, in turn, minimizes greenhouse gas emissions	Wildlife and ecosystem restoration and rehabilitation; sustainable agriculture; human health
Nitrogen management	Engineering crops with symbiotic bacteria to fix atmospheric nitrogen or crops that produce biological nitrification inhibitors	Enhances soil fertility; reduces fertilizer use; increases plant nitrogen use efficiency; decreases eutrophication and greenhouse gas emissions	Sustainable agriculture; crop production

pandemic (10), we advocate for a decentralized yet globally coordinated strategy that cuts through bureaucratic red tape and considers local cultural and societal regulations, culture, expertise, and needs. We are ready to work across sectors to deploy microbiome technologies at scale in the field.

We also propose that a global science-based climate task force comprising representatives from scientific societies and institutions should be formed to facilitate the deployment of these microbiome technologies. We volunteer ourselves to spearhead this, but we need your help too. Such a task force would provide stakeholders, such as the Intergovernmental Panel on Climate Change (IPCC) committee and United Nations



**FIG 1** Corals and climate change. Examples of the same healthy (top panels), bleached (bottom left), and dead (bottom right) corals before (top panels) and after (bottom panels) being affected by heatwaves caused by climate change. Photos by Morgan Bennett-Smith.

COP conference organizers, and global governments access to rigorous, rapid response solutions. Accompanied by an evidence-based framework, the task force will enable pilot tests to validate and scale up solutions, apply for dedicated funding, facilitate cross-sector collaboration, and streamline regulatory processes while ensuring rigorous safety and risk assessments. The effectiveness of this framework will be evaluated by key performance indicators, assessing the scope and impact of mitigation strategies on carbon reduction, ecosystem restoration, and enhancement of resilience in affected communities, aiming to provide a diverse and adaptable response to the urgent climate challenges faced today. We must ensure that science is at the forefront of the global response to the climate crisis.

We encourage all relevant initiatives, governments, and stakeholders to reach out to us at [climate@isme-microbes.org](mailto:climate@isme-microbes.org). We are ready and willing to use our expertise, data, time, and support for immediate action.

## ACKNOWLEDGMENTS

We thank Morgan Bennett-Smith for the support with the figure.

## AUTHOR AFFILIATIONS

- <sup>1</sup>International Society for Microbial Ecology (ISME), Arnhem, the Netherlands
- <sup>2</sup>International Coral Reef Society (ICRS), Tavernier, Florida, USA
- <sup>3</sup>King Abdullah University of Science and Technology, Thuwal, Saudi Arabia
- <sup>4</sup>Department of Biology, University of Konstanz, Konstanz, Germany
- <sup>5</sup>University of Alberta, Edmonton, Alberta, Canada
- <sup>6</sup>University of Queensland, Brisbane, Queensland, Australia
- <sup>7</sup>University of Groningen, Groningen, the Netherlands
- <sup>8</sup>New York University Abu Dhabi, Abu Dhabi, United Arab Emirates
- <sup>9</sup>Federation of European Microbiological Societies (FEMS), Cambridge, United Kingdom
- <sup>10</sup>Rutgers University, New Brunswick, New Jersey, USA
- <sup>11</sup>University of Calgary, Calgary, Alberta, Canada
- <sup>12</sup>Stellenbosch University, Stellenbosch, South Africa
- <sup>13</sup>Shanghai Jiao Tong University, Shanghai, China
- <sup>14</sup>Université d'Abomey-Calavi (UAC), Abomey Calavi, Benin
- <sup>15</sup>Global Ocean Negative Carbon Emissions (ONCE) Program, Research Center for Ocean Negative Carbon Emissions, Fujian, China
- <sup>16</sup>Xiamen University, Fujian, China
- <sup>17</sup>American Society for Microbiology (ASM), Washington, DC, USA
- <sup>18</sup>American Academy of Microbiology (AAM), Washington, DC, USA
- <sup>19</sup>Indiana University, Bloomington, Indiana, USA
- <sup>20</sup>University of Sevilla, Seville, Spain
- <sup>21</sup>University of Maryland, College Park, Maryland, USA
- <sup>22</sup>University of North Carolina at Chapel Hill, Chapel Hill, North Carolina, USA
- <sup>23</sup>Applied Microbiology International (AMI), Cambridge, United Kingdom
- <sup>24</sup>University of California San Diego, La Jolla, California, USA

## AUTHOR ORCIDs

- Raquel Peixoto  <http://orcid.org/0000-0002-9536-3132>  
 Lisa Y. Stein  <http://orcid.org/0000-0001-5095-5022>  
 Shady A. Amin  <http://orcid.org/0000-0003-3780-8102>  
 Max Häggblom  <http://orcid.org/0000-0001-6307-7863>  
 Ann Gregory  <http://orcid.org/0000-0003-4892-5611>  
 Thulani P. Makhalanyane  <http://orcid.org/0000-0002-8173-1678>  
 Yinzhao Wang  <http://orcid.org/0000-0001-8715-1386>  
 Jay T. Lennon  <http://orcid.org/0000-0003-3126-6111>

Antonio Ventosa <http://orcid.org/0000-0002-7573-0556>

Virginia Miller <http://orcid.org/0000-0002-9522-1767>

## REFERENCES

1. Tiedje JM, Bruns MA, Casadevall A, Criddle CS, Eloie-Fadrosch E, Karl DM, Nguyen NK, Zhou J. 2022. Microbes and climate change: a research prospectus for the future. *mBio* 13:e00800-22. <https://doi.org/10.1128/mbio.00800-22>
2. Cavicchioli R, Ripple WJ, Timmis KN, Azam F, Bakken LR, Baylis M, Behrenfeld MJ, Boetius A, Boyd PW, Classen AT, et al. 2019. Scientists' warning to humanity: microorganisms and climate change. *Nat Rev Microbiol* 17:569–586. <https://doi.org/10.1038/s41579-019-0222-5>
3. Jiao N, Luo T, Chen Q, Zhao Z, Xiao X, Liu J, Jian Z, Xie S, Thomas H, Herndl GJ, Benner R, Gonsior M, Chen F, Cai W-J, Robinson C. 2024. The microbial carbon pump and climate change. *Nat Rev Microbiol* 22:408–419. <https://doi.org/10.1038/s41579-024-01018-0>
4. Xue J, Yu Y, Bai Y, Wang L, Wu Y. 2015. Marine oil-degrading microorganisms and biodegradation process of petroleum hydrocarbon in marine environments: a review. *Curr Microbiol* 71:220–228. <https://doi.org/10.1007/s00284-015-0825-7>
5. Peixoto RS, Voolstra CR. 2023. The baseline is already shifted: marine microbiome restoration and rehabilitation as essential tools to mitigate ecosystem decline. *Front Mar Sci* 10. <https://doi.org/10.3389/fmars.2023.1218531>
6. Knowlton N, et al. 2021. Rebuilding coral reefs: a decadal grand challenge. International Coral Reef Society and Future Earth Coasts.
7. Lee H, Romero J, IPCC, Core Writing Team. 2023. IPCC climate change 2023: synthesis report
8. Peixoto RS, Voolstra CR, Sweet M, Duarte CM, Carvalho S, Villela H, Lunshof JE, Gram L, Woodhams DC, Walter J, Roik A, Hentschel U, Thurber RV, Daisley B, Ushijima B, Daffonchio D, Costa R, Keller-Costa T, Bowman JS, Rosado AS, Reid G, Mason CE, Walke JB, Thomas T, Berg G. 2022. Harnessing the microbiome to prevent global biodiversity loss. *Nat Microbiol* 7:1726–1735. <https://doi.org/10.1038/s41564-022-01173-1>
9. Kokudo N, Sugiyama H. 2020. Call for international cooperation and collaboration to effectively tackle the COVID-19 pandemic. *Glob Health Med* 2:60–62. <https://doi.org/10.35772/ghm.2020.01019>
10. El-Jardali F, Fadlallah R, Daher N. 2024. Multi-sectoral collaborations in selected countries of the Eastern Mediterranean region: assessment, enablers and missed opportunities from the COVID-19 pandemic response. *Health Res Policy Syst* 22:14. <https://doi.org/10.1186/s12961-023-01098-z>