



Genome Sequence of the Soil Bacterium Janthinobacterium sp. KBS0711

William R. Shoemaker, Mario E. Muscarella, Jay T. Lennon

Department of Biology, Indiana University, Bloomington, Indiana, USA W.R.S. and M.E.M. contributed equally to the study.

We present a draft genome of *Janthinobacterium* sp. KBS0711 that was isolated from agricultural soil. The genome provides insight into the ecological strategies of this bacterium in free-living and host-associated environments.

Received 20 May 2015 Accepted 20 May 2015 Published 18 June 2015

Citation Shoemaker WR, Muscarella ME, Lennon JT. 2015. Genome sequence of the soil bacterium *Janthinobacterium* sp. KBS0711. Genome Announc 3(3):e00689-15. doi:10.1128/genomeA.00689-15.

Copyright © 2015 Shoemaker et al. This is an open-access article distributed under the terms of the Creative Commons Attribution 3.0 Unported license Address correspondence to Jay T. Lennon, lennonj@indiana.edu.

S oil microbial diversity is shaped in part by bacterial secondary metabolite production (1). A well-characterized example comes from *Janthinobacterium* (*Betaproteobacteria*, *Oxalobacteraceae*), a purple-pigmented chemoorganoheterotroph that is commonly found in soils (2). The characteristic pigmentation of *Janthinobacterium* is due to the production of violacein, an antimicrobial compound that affects predator-prey interactions (3) and microbial-host symbioses (4). To date, only a few *Janthinobacterium* spp. have been sequenced. Despite a recent genome from lake sediments (5), most sequenced isolates come from either extremely cold or synthetic habitats (6–8). Here, we present the draft genome of *Janthinobacterium* sp. KBS0711, which was enriched from never-plowed soil at the Kellogg Biological Station Long-Term Ecological Research site (9, 10).

DNA purified from a single colony was prepared with the Illumina TruSeq DNA sample prep kit using an insert size of 250 bp and sequenced on an Illumina HiSeq 2500 using 100-bp pair-end reads (Illumina, San Diego, CA). Raw FASTQ reads were processed by removing Illumina TruSeq adaptors and the first 10 bp using Cutadapt (version 1.7.1) (11), interleaving reads using Khmer (version 1.3) (12), and quality-filtering with an average Phred score of 30 using the FASTX-toolkit (version 0.0.13, Hannon Lab [http://hannonlab.cshl.edu/fastx_toolkit/]). Coverage was normalized to 25 based on a k-mer size of 25 bp using Khmer. We removed NCBI-flagged coding regions using BWA (version 0.7.10) (13).

A total of 3,130,492 unmapped reads remained after quality filtering. We assembled the genome using Velvet (version 1.2.03) (14) with the following parameters: a k-mer size of 55, expected coverage of 18, and a coverage cutoff of 2.29. Contigs larger than 200 bp were annotated using Prokka (version 1.10) (15), and we predicted metabolic and physiological functions using MAPLE with bidirectional best-hit matches (http://www.genome.jp/tools/maple/) (16).

The draft assembly of *Janthinobacterium* sp. KBS0711 is 6.08 Mbp. It consists of 25 contigs with an N_{50} of 882 kbp, and a G+C content of 62.7%. Annotation detected 5,386 coding sequences, 1 rRNA, 69 tRNAs, and 1 transfer-messenger RNA (tmRNA). The

16S rRNA has 99% sequence identity to a *Janthinobacterium lividum* isolate (NCBI accession no. NR_026365.1).

In addition to the pathway for violacein production (VioA-VioD), we detected genes encoding traits that are associated with violacein production, including quorum sensing (QseC-QseB) and biofilm production (BdcA, KinB-AlgB) (17–19). The genome also contains genes that may allow the isolate to contend with nutrient starvation (PhoR-PhoB) and osmotic stress (EnvZ-OmpR). Last, *Janthinobacterium* sp. KBS0711 contains genes related to nitrogen (urea transport, dissimilatory nitrate reduction), phosphorus (phosphonate transport), and sulfur (sulfonate transport, assimilatory sulfate reduction) metabolism, which are important for soil functioning.

Nucleotide sequence accession numbers. This whole-genome shotgun project has been deposited in DDBJ/EMBL/GenBank under the accession no. LBCO000000000. The version described in this paper is the first version, LBCO00000000.1. The code used for assembly is available online (https://github.com/LennonLab/JanthinoKBS0711).

ACKNOWLEDGMENTS

We thank B. K. Lehmkuhl for technical assistance.

Our research was supported by National Research Initiative grants (2011-67019-30225) from the USDA National Institute of Food and Agriculture, the National Science Foundation (1442246 to J.T.L.), and the U.S. Army Research Office (W911NF-14-1-0411).

REFERENCES

- 1. Karlovsky P. 2008. Secondary metabolites in soil ecology. Springer-Verlag, Berlin, Germany.
- Gillis M, Logan NA. 2005. Genus IV. Janthinobacterium, p 636–643. In Brenner DJ, Krieg NR, Staley JT (ed), Bergey's manual of systematic bacteriology, vol 2: the Proteobacteria, part B: the Gammaproteobacteria. Springer, New York, NY.
- Matz C, Deines P, Boenigk J, Arndt H, Eberl L, Kjelleberg S, Jürgens K. 2004. Impact of violacein-producing bacteria on survival and feeding of bacterivorous nanoflagellates. Appl Environ Microbiol 70:1593–1599. http://dx.doi.org/10.1128/AEM.70.3.1593-1599.2004.
- 4. Becker MH, Brucker RM, Schwantes CR, Harris RN, Minbiole KP. 2009. The bacterially produced metabolite violacein is associated with

survival of amphibians infected with a lethal fungus. Appl Environ Microbiol 75:6635–6638. http://dx.doi.org/10.1128/AEM.01294-09.

- McTaggart TL, Shapiro N, Woyke T, Chistoserdova L. 2015. Draft genome of *Janthinobacterium* sp. RA13 isolated from Lake Washington sediment. Genome Announc 3(1):e01588-14. http://dx.doi.org/10.1128/ genomeA.01588-14.
- Audic S, Robert C, Campagna B, Parinello H, Claverie J-M, Raoult D, Drancourt M. 2007. Genome analysis of *Minibacterium massiliensis* highlights the convergent evolution of water-living bacteria. PLoS Genet 3:e138. http://dx.doi.org/10.1371/journal.pgen.0030138.
- Kim SJ, Shin SC, Hong SG, Lee YM, Lee H, Lee J, Choi I-G, Park H. 2012. Genome sequence of *Janthinobacterium* sp. strain PAMC 25724, isolated from alpine glacier cryoconite. J Bacteriol 194:2096. http:// dx.doi.org/10.1128/JB.00096-12.
- Hornung C, Poehlein A, Haack FS, Schmidt M, Dierking K, Pohlen A, Schulenburg H, Blokesch M, Plener L, Jung K, Bonge A, Krohn-Molt I, Utpatel C, Timmermann G, Spieck E, Pommerening-Röser A, Bode E, Bode HB, Daniel R, Schmeisser C, Streit WR. 2013. The *Janthinobacterium* sp. HH01 genome encodes a homologue of the *V. cholerae* CqsA and *L. pneumophila* LqsA autoinducer synthases. PLoS One 8:e55045. http:// dx.doi.org/10.1371/journal.pone.0055045.
- Grandy AS, Robertson GP. 2006. Aggregation and organic matter protection following tillage of a previously uncultivated soil. Soil Sci Soc Am J 70:1398–1406. http://dx.doi.org/10.2136/sssaj2005.0313.
- Lennon JT, Aanderud ZT, Lehmkuhl BK, Schoolmaster DR. 2012. Mapping the niche space of soil microorganisms using taxonomy and traits. Ecology 93:1867–1879. http://dx.doi.org/10.1890/11-1745.1.
- 11. Martin M. 2011. Cutadapt removes adapter sequences from high-

throughput sequencing reads. EMBnet.journal 17:10-12. http://dx.doi.org/10.14806/ej.17.1.200.

- 12. McDonald E, Brown CT. 2013. Khmer: working with big data in bioinformatics. http://arxiv.org/abs/1303.2223.
- Li H, Durbin R. 2009. Fast and accurate short read alignment with Burrows-Wheeler transform. Bioinformatics 25:1754–1760. http:// dx.doi.org/10.1093/bioinformatics/btp324.
- Zerbino DR, Birney E. 2008. Velvet: algorithms for *de novo* short read assembly using de Bruijn graphs. Genome Res 18:821–829. http:// dx.doi.org/10.1101/gr.074492.107.
- Seemann T. 2014. Prokka: rapid prokaryotic genome annotation. Bioinformatics 30:2068–2069. http://dx.doi.org/10.1093/bioinformatics/btu153.
- Takami H, Taniguchi T, Moriya Y, Kuwahara T, Kanehisa M, Goto S. 2012. Evaluation method for the potential functionome harbored in the genome and metagenome. BMC Genomics 13:699. http://dx.doi.org/ 10.1186/1471-2164-13-699.
- McClean KH, Winson MK, Fish L, Taylor A, Chhabra SR, Camara M, Daykin M, Lamb JH, Swift S, Bycroft BW, Stewart GS, Williams P. 1997. Quorum sensing and *Chromobacterium violaceum*: exploitation of violacein production and inhibition for the detection of N-acylhomoserine lactones. Microbiology 143:3703–3711. http:// dx.doi.org/10.1099/00221287-143-12-3703.
- Pantanella F, Berlutti F, Passariello C, Sarli S, Morea C, Schippa S. 2007. Violacein and biofilm production in *Janthinobacterium lividum*. J Appl Microbiol 102:992–999. http://dx.doi.org/10.1111/j.1365 -2672.2006.03155.x.
- Stauff DL, Bassler BL. 2011. Quorum sensing in *Chromobacterium violaceum*: DNA recognition and gene regulation by the CviR receptor. J Bacteriol 193:3871–3878. http://dx.doi.org/10.1128/JB.05125-11.